



WiZ Up and Down Wall Spotlight

Brand : WiZ

Product code: 8719514554597

Product name : Up and Down Wall Spotlight

- Instant set-up
- Matter Certified
- Light automation with SpaceSense
- Light automation schedule
- Dynamic light modes with millions of colours
- Warm to cool white light and preset modes
- Multiple light control options
- Up and down wall light

4.7W, LED, 2200-6500K, 345lm, White

WiZ Up and Down Wall Spotlight. Type: Smart wall light, Product colour: White, Bulb type: LED. Energy efficiency class: F, AC input voltage: 220-240 V, AC input frequency: 50 - 60 Hz. Width: 68 mm, Depth: 92 mm, Height: 150 mm. Package depth: 105 mm. Quantity per pack: 1 pc(s)



Features		Power	
Type *	Smart wall light	Energy efficiency class	F
Bulb type	LED	AC input voltage	220-240 V
Fitting/cap type	Non-changeable bulb(s)	AC input frequency	50 - 60 Hz
Colour temperature (min)	2200 K	Weight & dimensions	
Colour temperature (max)	6500 K	Width	68 mm
Luminous flux	345 lm	Depth	92 mm
Bulb power	4.7 W	Height	150 mm
Bulb lifetime	15000 h	Length	92 mm
Suitable location	Functional	Packaging data	
Product colour *	White	Package depth	105 mm
Housing material	Metal	Package net weight	640 g
Fixture dimmable	✓	Package gross weight	690 g
Dimmable with remote control	✓	Packaging content	
Replacement bulb power (max)	5 W	Quantity per pack *	1 pc(s)
Compatible bulb energy efficiency classes	A	Bulb(s) included	✓
Number of bulbs	2 bulb(s)	Remote control included	✗
International Protection (IP) code	IP20	Technical details	
Protection class	I	Material	Metal
Color Rendering Index (CRI)	90	Net weight	640 g
Adjustable spot head	✗	Placement supported	Indoor
Bulb technology	✓	Input voltage	220-240 V
Warm-up time to 60% light	<2		
Number of switch cycles	50000		

Features		Other features	
Lumen maintenance factor	70%	Total luminous flux	690 lm
Bulb lifetime (@ 2.7 hrs/day)	15 year(s)	Compatible bulb energy efficiency classes (old)	A
Bulb current	60 mA	Included bulb energy efficiency class (old)	F
Luminous efficacy	69 lm/W	Energy efficiency class (old)	F
Light source replaceable	✓	Logistics data	
		12NC Logistic code(s)	929003210001



8719514554597

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-JUN-2023. Prints or copies of Information are only valid on the printed Publication date